

# ASSAN PANEL

SANAYİ VE TİCARET A.Ş.

Contents of drawing:

ASSAN PANEL

CORRUGATED SHEET 27/200

Date: 04.03.2009


Drawing no: 13

Drawn by:

Rev.

Scale: 1/8

File no:



Thickness (mm)	0,5 mm	0,6 mm	0,7 mm	0,8 mm	0,9 mm	1,0 mm
Moment of Inertia (J : cm <sup>4</sup> )	6,4	7,7	9,0	10,0	11,5	12,9
W max ( W : cm <sup>3</sup> )	3,81	4,58	5,36	5,95	6,85	7,68

Type of Sheet; Prepainted Galvanized Steel Or Aluminium

Thickness of Sheet; 0,5-0,9 mm

Length ; min. 1000 mm, max. 12000 mm